

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010, updated Oct 21, 2015*  
Evaluator: *Frank Mitchell*

## Summary of Scores

FUNCTION	SCORE
1. Ecological Integrity	8.5
2. Wetland-Dependent Wildlife Habitat	7.5
3. Fish & Aquatic Habitat	6.1
4. Scenic Quality	9.2
5. Educational Potential	6.
6. Wetland-Based Recreation	6.5
7. Floodwater Storage	5.2
8. Groundwater	1.0
9. Sediment Trapping	7.9
10. Nutrient Removal / Retention / Transformation	6.1
11. Shoreline Anchoring	7.5
12. Noteworthiness	40.0

## Narrative Description

Foss Meadow is a marsh & shrub wetland of approximately 61 acres. It is located in the upper part of the Little Suncook River Watershed, at the eastern base of Nottingham Mountain in Deerfield. The wetland's watershed is 873 acres and is largely forested and undeveloped.

The wetland is influenced by beaver activity and was in the path of the July, 2008 tornado, which had an impact in the 500 ft. zone around approximately half the wetland. Wetland vegetation classes observed in the wetland include: Palustrine Emergent (PEM1Eb and PEM1Fb), Palustrine Emergent/Scrub-shrub (PEM/PSS1E and PEM/SS1Eb), Palustrine Unconsolidated Open Bottom – Open Water (PUBFb), and Palustrine Forested (PFO1 & PFO5b). Dominant plant species observed in the wetland included a variety of herbaceous emergent plants. The soils in the wetland were mapped by NRCS as 97 - Greenwood and Ossipee, ponded water. One stream (Griffin Brook) flows through the wetland (approximately 9 acres of open water)

### ECOLOGICAL INTEGRITY

The ecological integrity of Foss Meadows is moderately high. Water quality in the wetland appears high, and there is no evidence of fill or other human disturbance. However, logging in the upland adjacent to the wetland and in parts of the wetland) following the 2008 tornado has created some potential short term erosion. Within 500 ft of the

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010, updated Oct 21, 2015*  
Evaluator: *Frank Mitchell*

wetland, the upland is largely undisturbed (one town road and no buildings). The wetland's outlet is an abandoned beaver dam, resulting in lower water levels than in recent years.

## **WETLAND-DEPENDENT WILDLIFE HABITAT**

The fifth largest wetland in town, Foss Meadow has significant wildlife habitat value. Approximately 10% of the wetland is open water, supporting species such as waterfowl. A stream flows through the wetland and there are four dominant wetland vegetation classes (PEM, PSS, PUB, PFO). Other wetlands nearby increase the value of wetland habitats in the area.

## **FISH AND AQUATIC HABITAT**

Habitat for fish and aquatic life is favored by the extensive marsh & shrub habitats but is limited by the amount of open water and perennial stream habitat. Contributing to habitat value are a largely forested watershed, high water quality a diversity of substrate types in the wetland and associated stream, abundant cover (wood and large rocks) and the absence of artificial barriers. Blanding's turtle, an endangered species in NH, has been reported in the vicinity of Foss Meadow (personal communication with a local resident and Phil Auger, UNHCE).

## **SCENIC QUALITY**

Foss Meadow is a particularly scenic wetland with an opportunity for an open view across it to Nottingham Mountain. The view from Griffin Road was temporarily enhanced by the tornado and the logging that followed it. (By 2015, vegetation was high and dense enough to restrict views for the road and vice versa). The scenic view will remain available from other parts of the wetland edge as the logged area continues to regenerate. Nottingham Mountain creates a high degree of landscape contrast. Diversity of vegetation in and around the wetland and its generally natural appearance enhance its scenic value.

## **EDUCATIONAL POTENTIAL**

Foss Meadow has moderate educational potential. Favoring educational use are the wetland's unspoiled character, wildlife habitat and scenic values, several wetland vegetation types, open water and a stream. Public access is available through the Deerfield Hart Town Forest and physical access is not difficult. The wetland is close to a public road with modest parking. There is no disabled access.

## **WETLAND-BASED RECREATION**

Foss Meadow has opportunities for wildlife observation, access to a stream and the wetland's scenic quality. Limited parking and lack of disabled access are limiting factors.

## **FLOODSTORAGE**

Foss Meadow's capacity to store water during times of flooding is moderate to high. The wetland is relatively large in relation to its watershed (about 6.36%) enabling it to hold a large amount of water produced by the watershed during times of high flow.

## **GROUNDWATER**

This function scored low for Foss Meadow. There is no stratified drift aquifer near the wetland, no potential public water supply area nearby and limited groundwater recharge potential (dominant soil types within 500 ft of the wetland are Chatfield-Hollis-Canton Complex (140 C&D) and they are not highly permeable).

## **SEDIMENT TRAPPING**

The sediment trapping function of Foss Meadow is moderately high, due to a moderate to high Wetland Flood Storage capability, an outlet that is constricted by two large beaver dams, and some ponded open water which

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010, updated Oct 21, 2015*  
Evaluator: *Frank Mitchell*

allows sediments to filter out of the surface watery. Contributing to the sediment trapping function are the moderate gradient of the wetland's watershed, dense emergent wetland vegetation and relatively shallow water depth.

## **NUTRIENT REMOVAL/ RETENTION/TRANSFORMATION**

The wetland has a moderate ability to attenuate nutrients. Contributing to this function are the Wetland Flood Storage, dense emergent wetland vegetation and sediment trapping capacity. Other factors are a seasonally saturated/flooded and semi-permanently flooded hydrology and very poorly drained wetland soils that support year-round nutrient attenuation. .

## **SHORELINE ANCHORING**

Foss Meadow has a moderate shoreline anchoring capacity, a function of two wetland vegetation types along the shoreline (emergent & shrub), high vegetation density and a wide wetland area bordering the stream.

## **NOTEWORTHINESS**

Foss Meadows has several noteworthy features, including 1) Highest Ranked Habitat in about half the wetland (state and regional significance), as described in the NH Wildlife Action Plan, 2) local significance because it is the 5<sup>th</sup> largest wetland in town, and 3) regional significance because it is located in a priority area in Bear-Paw Regional Greenways Conservation Plan and is one of the larger wetlands in the region



### **Foss Meadow, Deerfield, looking southwest, June, 2011 photo**

In the foreground is upland vegetation that is regenerating following the July, 2008 tornado which struck the area and subsequent cutting and removal of trees from the site. Edging the open water area (PUBFb) on both sides is an emergent marsh (PEM1Eb and PEM1FEb), mixing with scrub/shrub vegetation (PEM/PSS1E) on the far side of the wetland. Note the small "island" of pines in the top center of the photo is not shown

## NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010, updated Oct 21, 2015*  
Evaluator: *Frank Mitchell*

on NWI maps, apparently too small for the scale of the data. In the background is upland forest, with Nottingham Mountain, the upper part of Foss Meadow's watershed, as the highest feature.

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010, updated Oct 21, 2015*  
Evaluator: *Frank Mitchell*



## **Foss Meadow**

A closer view of the small “island” area in Foss Meadows shows sprouting tree stumps in the foreground (from tree cutting) and the emergent marsh vegetation (PEM1Eb) around the pines (note their poor condition). The far side of the wetland is classified by the NWI as PEM/SS1E. In the actual wetland, there’s a mix of emergent herbaceous vegetation, small shrubs and some open water/unconsolidated bottom (PUB) not shown on NWI. Note also the remains of a few dead trees (there had been more standing trees before the tornado)\*. They show that the wetland’s hydrology has changed over time, formerly being drier and capable of supporting trees. The NWI modifier “b” indicates there has been beaver activity.

\* See aerial imagery post-2008 to view the dead downed trees in the wetland following the tornado

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 1 – ECOLOGICAL INTEGRITY

Evaluation Questions	Observations & Notes	Answers	Score
1. Are there land uses in the wetland's watershed that could degrade water quality in the wetland?	<i>Logging and associated stream/wet area crossings following the 2008 tornado have created sources of sediment on one side of the wetland.</i>	a. Less than 5% of the watershed has land uses that could degrade water quality. b. 5-10% of the watershed has land uses that could degrade water quality. c. > 10% of the watershed has land uses that could degrade water quality.	10 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">7.5</span> 5 1
2. Is there evidence of fill in the wetland?	<i>One stream crossing at south end of wetland.</i>	a. Less than 1 % b. From 1-3 % c. More than 3 %	10 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">5</span> 1
3. What percentage of the wetland has been altered by agricultural activities?	<i>None</i>	a. Less than 5 % b. From 5 to 25 % c. More than 25 %	10 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">5</span> 1
4. What percentage of the wetland has been adversely impacted by logging activity within the last 10 years?	<i>See note for question 1</i>	a. Less than 1% b. From 1 to 10 % c. More than 10 %	10 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">5</span> 1
5. How much human activity is taking place in the wetland (e.g. ATV use, trails, cars, dumping of brush and garbage, etc.)?	<i>None evident</i>	a. Low: Few trails in use, little or no traffic, and little or no litter. b. Moderate: Some used trails, roads, litter c. High: Many trails, roads, and/or litter	10 5 1
6. What percentage of the wetland is occupied by invasive plant species?	<i>None observed but clearing noted in question 1 could lead to introduction of invasives. Should be monitored annually.</i>	a. None b. 1-5% of the wetland has invasive species c. > 5% of the wetland has invasive species	10 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">5</span> 1
7. Are there roads, driveways and/or railroads crossing or adjacent to the wetland or come within 500 ft. of the wetland?	<i>A logging road crosses the stream entering the wetland just upstream of the wetland and Logging trails/roads are extensive on the east side of the wetland.</i>	a. No roads, driveways or railroads. within 500 ft. of, or in the wetland b. Roads, driveways, railroads are within 500 ft of the wetland c. Roads, driveways, railroads. cross or are adjacent to the wetland	10 5 1
8. How much human activity is taking place in the upland within 500 feet of the wetland edge?	<i>Little human activity is in the 500 ft. zone. The dominant land use is forested, but Griffin Road runs just outside the 500 ft. zone around the wetland.</i>	a. Less than 5% or no activity b. Human activity evident in up to 25% of the 500 ft zone c. Human activity evident in more than 25% of the 500 ft zone	10 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">5</span> 1
9. What is the percent of impervious surface within 500 feet of the wetland edge?	<i>None, though there are several buildings within 700 ft.</i>	a. Less than 3% impervious area within 500 ft of the wetland edge b. 3-10% impervious area within 500 ft of the wetland edge c. Greater than 10% impervious area within 500 ft of the wetland edge	10 5 1

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

<p><b>9. Is there a human-made structure that regulates the flow of water through the wetland?</b></p>	<p><i>No, but the beaver dam that controlled the water level for decades has been unmaintained recently and water level is somewhat lower.</i></p>	<p>a. No human made structures present in the wetland</p> <p>b. One or more human made structures present in the wetland but hydrologic modification is slight</p> <p>c. One or more human made structures present in the wetland that severely block or alter surface water hydrology</p>	<p>10</p> <p>5</p> <p>1</p>
--	--	--	-----------------------------

**AVERAGE SCORE FOR ECOLOGICAL INTEGRITY**

(Add scores for each question and divide by 10)

**8.6**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 2 – WETLAND-DEPENDENT WILDLIFE HABITAT

Evaluation Questions	Observations & Notes	Answers	Score
1. What is the wetland acreage?	<i>61 acres (drawn wetland polygon from NH Wetlands Mapper).</i>	a. More than 100 acres b. From 20 - 100 acres c. Less than 20 acres	10 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">5</span> 1
2. What is the score for Ecological Integrity?	<i>Logging and associated stream/wet area crossings following the 2008 tornado have created sources of sediment on one side of the wetland.</i>	Average score for <b>Ecological Integrity</b>	<b>8.6</b> -----
3. Has water quality in the wetland been degraded by land use in the watershed?		Record Answer from <b>Ecological Integrity</b> , Question 1	<b>5</b> _____
4. What is the area of shallow permanent open water less than 6.6 feet deep, including streams and shallow ponds that are part of the wetland complex?	<i>7.9 acres of PUB (NH Wetlands Mapper) Round to 8 acres to include stream channel.</i>	a. More than 3 acres b. From 0.5 to 3 acres c. Less than 0.5 acre	<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">10</span> 5 1
5. Is there deepwater habitat (lakes or ponds > 6.6ft deep) and/or 4 <sup>th</sup> order or higher rivers associated with the wetland?	<i>No (small stream only)</i>	a. Deepwater stream ≥1 mile long and/or lake or pond ≥10 acres present b. Deepwater stream < 1 mile long and/or lake or pond < 10 acres present c. No deepwater stream, lake or pond present	10 5 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">1</span>
6. What is the diversity of vegetation classes in the wetland? <i>Refer to Appendix F for more information about wetland vegetation classes.</i>	<i>4 classes: PUB, PEM, PSS, PFO (NH Wetlands Mapper)</i>	a. Three or more wetland classes (including upland islands) present b. Two wetland classes (including upland islands) present c. One wetland class present	<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">10</span> 5 1
7. Are other wetlands in close proximity to the study wetland?	<i>Yes, one larger (16.6 acres) &amp; one smaller (0.2) acres) one are within 0.25 miles.</i>	a. Other connected or unconnected wetlands within a 0.25 mile distance b. Wetland connected to other wetlands within a 0.5 to 1 mile distance by perennial stream or lake, <b>OR</b> other unconnected wetlands are present within a 0.25 to 0.5 mile distance c. Wetland not hydrologically connected to other wetlands within 1 mile and more than 0.5 miles from other unconnected wetlands.	<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">10</span> 5 1

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 2 – WETLAND-DEPENDENT WILDLIFE HABITAT (continued)

Evaluation Questions	Observations & Notes	Answers	Score
8. Are there wildlife travel corridors allowing access to other wetlands?	<i>Griffin Rd. James Rd &amp; houses along them constitute barriers to animal movement.</i>	a. Free access along well vegetated stream corridor, woodland, or lakeshore b. Access partially blocked by roads, urban areas, or other obstructions c. Access blocked by roads, urban areas, or other obstructions	10 5 1
9. What percentage of the wetland edge is bordered by undisturbed woodland or idle land (e.g. shrub land or abandoned fields) at least 500 feet in width?	<i>Estimated &gt; 90% is bordered by natural land cover, within 500 ft., though about half the wetland edge was cleared following the 2008 tornado. Griffin Rd. is within 500 ft. of the wetland at one point, hence the &gt;90% estimate.</i>	a. More than 95% of the wetland b. between 75-95% of the wetland c. Less than 75% of the wetland	10 5 1
10. What percentage of the wetland is occupied by invasive plant species?	<i>None observed.</i>	Record Answer from <b>Ecological Integrity</b> , Question 6	10 <hr style="width: 20px; margin: 0 auto;"/>

**AVERAGE SCORE FOR WILDLIFE HABITAT**

(Add scores for each question and divide by 10)

7.5

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 3 – FISH AND AQUATIC LIFE HABITAT

Evaluation Questions	Observations & Notes	Answers	Score
1. What is the dominant land use in the watershed above wetland?	<i>Mostly wooded</i>	a. Woodland, wetland, or abandoned farmland b. Active farmland or rural residential c. Urban and heavily developed suburban areas, commercial and industrial areas.	10 5 1
2. Has water quality in the wetland been degraded by land use in the watershed?	<i>Logging and associated stream/wet area crossings following the 2008 tornado have created sources of sediment on one side of the wetland.</i>	Record Answer from <b>Ecological Integrity</b> , Question 1	5 -----
3. What is the area of shallow permanent open water less than 6.6 ft deep, including streams and ponds within the wetland?	<i>7.9 acres of PUB (NH Wetlands Mapper)</i>	Record Answer from <b>Wetland-Dependent Wildlife Habitat</b> , Question 4	10 -----
4. What is the acreage of deepwater habitats deeper than 6.6 feet (pond or lake) associated with the wetland?	<i>None</i>	a. More than 100 acres b. From 10 to 100 acres c. Less than 10 acres d. deepwater pond or lake not present	10 5 1 0
5. What is the width (bank to bank) of the stream within the wetland?	<i>Est. 20 ft. average.</i>	a. More than 50 feet b. From 25 to 50 feet c. Less than 25 feet d. No stream present	10 5 1 0
6. Does the stream channel appear to have been recently altered?	<i>Channel appears natural</i>	a. Stream is in a natural channel, either a meandering low gradient stream, <b>OR</b> a steeper gradient stream with pools and riffles b. Portions of stream appear recently modified, <b>OR</b> stream formerly channelized but has regained some natural channel features c. Stream appears to have been recently channelized, <b>OR</b> stream is confined in a non-vegetated chute or pipe d. No stream present	10 5 1 0
7. Within the wetland, what is the diversity of substrate types in in the area(s) occupied by open water (flowing or standing) for the non-growing season?	<i>Difficult to observe directly. Observations done from location on and near the near beaver dam. .</i>	a. 4 or more substrate types b. 2 or 3 substrate types c. 1 substrate type	10 5 1

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

<p><b>8. How abundant are coarse woody material and large rocks associated with the open water portion of the wetland?</b></p>	<p><i>Tornado caused many dead tree trunks to fall, so downed logs are abundant in parts of the wetland.</i></p>	<p>a. Moderately Abundant to Abundant: More than 10% of water portion of the wetland area contains cover objects such as logs, stumps, branches and rocks                      b. Scarce: Less than 10% of the water portion of the wetland area contains cover objects                      c. No visible woody materials or rocks</p>	<p style="text-align: center;">10</p> <p style="text-align: center;">5 1</p>
<p><b>9. What is the abundance of floating &amp; submerged vegetation?</b></p>	<p>Date of Observation:  <i>May 15. Need to recheck during growing season and/or check aerial photos in summer season.</i></p>	<p>a. Abundant: More than 70% of water area contains cover objects such as pond lilies, pondweed, and bladderwort                      b. Moderately abundant: From 30 to 70% of water area contains floating and submerged vegetation                      c. Scarce: Less than 30% of the water area contains floating and submerged vegetation</p>	<p style="text-align: center;">10 5 1</p>
<p><b>10. Are there artificial barriers to the passage of aquatic life?</b>                      (e.g. dams, elevated culverts, bridge with a width less than the natural stream channel, road crossings, etc. along the stream reach associated with the wetland).</p>	<p><i>None present</i></p>	<p>a. No artificial barrier(s) present.                      b. An artificial barrier is present and equipped with a fish ladder or other provisions for fish passage, <u>or</u> artificial barrier is only present during extreme low water                      c. Dam, elevated culverts or other artificial barrier(s) is present without provisions for fish passage</p>	<p style="text-align: center;">10 5 1</p>
<p><b>11. Are fish or aquatic life present that are rare, threatened, endangered or "Species of Special Concern"??</b></p>	<p><i>Blanding's turtle reported from vicinity (personal communication with nearby landowner and Phil Auger, UNHCE.</i></p>	<p>a. Documented occurrence of a rare or endangered fish or aquatic life species within or immediately adjacent to the subject wetland                      b. Documented occurrence of a rare or endangered fish or aquatic life species within .5 miles of wetland <b>and</b> suitable habitat exists for this species within the wetland                      c. No documented occurrence of a rare or endangered fish or aquatic life species within .5 miles of wetland, but suitable habitat exists and wetland is within range of one or more rare species                      d. No documented occurrence of a rare or endangered fish or aquatic life species within .5 miles of wetland, and suitable habitat is not known to exist</p>	<p style="text-align: center;">10 5 1 0</p>

**AVERAGE SCORE FOR FISH & AQUATIC LIFE HABITAT –**

(Add scores for each question and divide by 11)

**6.1**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 4 – SCENIC QUALITY

Primary Viewing Site(s): From Griffin Rd and near outlet accessed through Hart Town Forest

Evaluation Questions	Observations & Notes	Answers	Score
<b>1. How many wetland vegetation classes are visible from the primary viewing location(s)?</b> <i>Refer to Appendix F for more information about wetland vegetation classes.</i>	<i>4 classes: PUB, PEM, PSS, PFO (NH Wetlands Mapper)</i>	a. Three or more classes b. Two classes c. One class	10 5 1
<b>2. Is there public access at the viewing site?</b>	<i>Not posted against access but public access not guaranteed. Road view is a result of clearing following 2008 tornado and view will disappear over time as trees re-grow.</i>	a. Viewing site is on a property with public access, and trails to the site, or site is along a road. b. Wetland is on property with public access but <u>no</u> trails to the site. c. Wetland is on a property that does not have public access.	10 5 1
<b>3. What is the visible extent across the wetland?</b>	<i>See note for previous question.</i>	a. Large expanse visible and low growing plants, or mixed vegetation classes you can see through b. View is somewhat restricted by trees and shrubs c. Forested or scrub-shrub wetland with little or no expanse visible.	10 5 1
<b>4. What is the approximate extent of open water (including streams) visible from the primary viewing location/s?</b>	<i>Estimated 10 acres including stream</i>	a. More than 3 acres b. From 1 to 3 acres c. Less than 1 acre	10 5 1
<b>5. Does the wetland provide visual contrast with the surrounding landscape?</b>	<i>Yes - Nottingham Mountain is the backdrop to the west.</i>	a. High level of visual contrast with surrounding natural landscape. b. Some visual contrast with surrounding natural landscape c. Little visual contrast with surrounding landscape, or surrounding landscape is developed	10 5 1
<b>6. What is the general appearance of the wetland and surrounding land use(s) visible from primary viewing location(s)?</b>	<i>Logging effects remain - ruts, stumps, etc.</i>	a. Wetland is undisturbed and natural. No visual detractors, such as buildings, litter, abandoned cars, or powerlines b. Limited disturbance in and/or around wetland. Minor visual detractors c. Severe visual detractors present	10 5 1

**AVERAGE SCORE FOR SCENIC QUALITY**

(Add scores for each question and divide by 7)

**9.2**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 5 – EDUCATIONAL POTENTIAL

Primary Educational Site(s):     Near outlet accessed through Hart Town Forest    

Evaluation Questions	Observations & Notes	Answers	Score
1. What is the Ecological Integrity of the wetland?		Average Score from 1- Ecological Integrity	8.5 -----
2. Does the wetland have high value wildlife habitat?		Average Score from 2 – Wetland-Dependent Wildlife Habitat	7.5 -----
3. Does the wetland have high value fish and aquatic life habitat?	<i>Limited open/deepwater habitats, small stream size.</i>	Average Score from 2 – Fish & Aquatic Life Habitat	6.1 -----
4. Is all or part of the wetland on public or private property that has public access?	<i>Not posted against access but public access not guaranteed around most of wetland. Is a lightly maintained trail near the wetland on Deerfield Hert Town Forest. Road view is result of clearing following 2008 tornado and view will disappear over time as trees re-grow.</i>	a. Wetland is on a property with public or private access and trails to the site. b. Wetland is on a property with public or private access but <u>no</u> trails to the site. c. Wetland is on a property that does not have public access.	10 5 <b>1</b>
5. How close is the educational site to off-road parking suitable for 5-10 vehicles or large enough for a school bus?	<i>But not formally open to the public.</i>	a. Adequate parking is available less than a 5 minute walk from the educational site. b. Adequate parking is a 5-15 minute walk from educational site, or parking is limited to less than 5 cars. c. Adequate parking is more than 15 mins walk from the educational site, or no adequate parking is available.	10 <b>5</b> 1
6. How many wetland vegetation classes are accessible or potentially accessible for study at the educational site? <i>Refer to Appendix F for more information about wetland vegetation classes.</i>	<i>4 classes: PUB, PEM, PSS, PFO (NH Wetlands Mapper)</i>	a. Three or more wetland vegetation classes b. Two wetland vegetation classes c. One wetland vegetation class	<b>10</b> 5 1
7. Is there access to open water (include streams) associated with the wetland at educational site?	<i>Stream present, though difficult to access due to wetland around it.</i>	a. Direct access to water available b. Water access is a short distance (5 mins or less) from the educational site c. No access or access not feasible d. No open water	<b>10</b> 5 1 0
8. What is the aesthetic and visual quality of the educational site?		Average Score from 4 – Scenic Quality	9.2 -----
9. Is the educational site accessible to the disabled?	<i>No</i>	a. Yes b. No	10 <b>0</b>

**AVERAGE SCORE FOR EDUCATIONAL POTENTIAL**

(Add scores for each question and divide by 9)

**6.4**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 6 – WETLAND-BASED RECREATION (CANOEING, KAYAKING, AND WILDLIFE OBSERVATION)

Evaluation Questions	Observations & Notes	Answers	Score
1. Are there opportunities for wildlife observation?	<i>Yes.</i>	Average score for 2 – Wetland-Dependent Wildlife Habitat	<b>7.5</b> -----
2. Is there access to suitable open water for canoes and kayaks?	<i>Limited open water &amp; difficult access</i>	a. Open water is present, with easy access b. Open water is present, but site is not easily accessed for canoes/kayaks. c. No open water and no access	10 <b>5</b> 0
3. Are there trail-based recreation opportunities?	<i>There is a lightly maintained trail near the wetland on the Deerfield Hert Town Forest.</i>	a. Maintained trails are present in and immediately adjacent to the wetland b. Trails are present but not maintained c. No trails are present	10 <b>7.5</b> 5 1
4. Are there off-trail recreation opportunities (e.g. open water or undisturbed buffer)?	<i>Half the wetland edge was salvage cut following the 2008 tornado. It's "natural" but not forested or "undisturbed".</i>  <i>Wetland has 7.9 acres of open waster (PUB) habitat..</i>	a. Wetland has open water greater than 0.5 acres in size <b>AND</b> an undisturbed 500 ft buffer for greater than 75% of the wetland edge. b. Wetland has open water greater than 0.5 acres in size <b>OR</b> an undisturbed 500 ft buffer for greater than 75% of the wetland edge. c. Wetland has neither open water nor an undisturbed buffer greater than 75%	10 <b>5</b> 1
5. Is there off-road public parking at the potential recreation site for at least two cars?	<i>Yes, but not formally open to the public.</i>	a. Adequate parking is available less than 5 minutes from the recreation site. b. Adequate parking is a 5-10 minute walk from the recreation site, or parking is limited. c. Adequate parking is more than 10 minutes walk from the recreation site, or no adequate parking is available.	10 <b>5</b> 1
6. What is the scenic quality of the potential recreational site?		Average score from 4 – Scenic Quality	<b>9.2</b> -----

**AVERAGE SCORE FOR WATER-BASED RECREATION**

(Add scores for each question and divide by 6)

**6.5**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 7 – FLOOD STORAGE

*Instead of manually calculating the Wetland Flood Index on this data sheet, you can use the Flood Index Worksheet, an Excel spreadsheet provided on the NH Method website (<http://nhmethod.org/manual.htm>) which is set up to do all the calculations for you. An example of the spreadsheet is provided in Table 3.*

Note that this function is scored somewhat differently from the other NH Method function. A series of factors are developed that are then use to derive the Flood Storage Index. The numerical scores for the factors do not correspond to the 10, 5, 1, 0 scoring scale used in the other functions.

**In the following situations, the Flood Value Index does not need to be calculated for the wetland being studied. Instead a certain flood index range can be assumed:**

1. Wetlands with slopes greater than 10% (10' vertical :100' horizontal) as measured along the flow path, where it is obvious that little flood attenuation could occur, **should be assigned a Low Flood Index Value range (0.0 to 0.9).**
2. For large ponds or lakes or wetlands with ponded water surface area greater than 200 acres and streams that are Fourth Order or higher (i.e. 4<sup>th</sup>, 5<sup>th</sup>, 6<sup>th</sup> etc.) **assign a High Flood Index Value range (7.6 to 10.0)**

Evaluation Questions	Observations and Notes	Answers	Factor
1. <b>What is the Wetland Acreage (W)?</b> <i>Be sure to EXCLUDE the acreage of any upland islands from the total wetland acreage</i>	<i>Wetland size is from drawn watershed in NH Wetlands Mapper</i>	53.32 acres	
2. <b>What is the Watershed Acreage (S)?</b>	<i>From drawn watershed boundary in NH Wetlands Mapper.</i>	839.01 acres	
3. <b>What is the Water Storage Depth in the wetland (D)?</b>	<i>Default</i>	a. Use the actual water storage depth if known b. Assign a default value of 1.0 if the wetland is located in a 100 year floodplain c. Assign a default value of 1.0 ft if the actual water storage depth is not known	D= ___ ft D=1.0 ft <span style="border: 1px solid blue; border-radius: 50%; padding: 2px;">D=1.0 ft</span>
4. <b>What is the Wetland Storage Volume (V)?</b>		Multiply Water Storage Depth by Wetland acreage: $D \times A = V$	V = 53.22 acre feet
5. <b>Wetland Storage Volume Factor (F)</b>	<i>Interpolated value</i>	Insert value from Table 1	F= 0.81
6. <b>Watershed Area Factor (A)</b>	<i>Interpolated value : 53.32/839.01 x 100 = 6.4.0% = 0.82</i>	Insert value from Table 2	A=0.82
7. <b>Location of wetland within the watershed (L)</b>	<i>Wetland has first order perennial stream entering and discharging from it. It becomes second order within 1000 ft. of leaving the wetland.</i>	a. Wetland located within 1,000 ft of a 4 <sup>th</sup> order or higher stream OR within 1000 ft of a pond/lake that outlets to a 4 <sup>th</sup> order or higher stream b. Wetland located within 500 ft of a perennial stream (less than 4 <sup>th</sup> order) c. Neither of the above situations apply to the study wetland	1.0 <span style="border: 1px solid blue; border-radius: 50%; padding: 2px;">0.8</span> 0.6

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

**SCORE FOR WETLAND FLOOD INDEX = F x A x L x**  $0.81 \times 0.82 \times 0.8 \times 10 = 5.2$  (*Mod - High Flood Value*)

Use the score to locate the Value Range below and assign Flood Index Value

Wetland Flood Index Values	Flood Value Type
0.0 – 0.9	Low Flood Value
1.0 – 2.5	Low to Moderate Flood Value
2.6 – 5.0	Moderate Flood Value
<b>5.1 – 7.5</b>	<b>Moderate to High Flood Value</b>
7.6 – 10.0	High Flood Value

TABLE 1	
Wetland Storage Volume Factor (F)	
Wetland Storage Volume (V) (acre-feet)	Value of F
≥ 200	1.000
150	0.950
100	0.900
75	0.850
50	0.800
37.5	0.750
25	0.700
18.75	0.650
12.5	0.600
9.375	0.550
6.25	0.500
4.69	0.450
3.125	0.400
2.36	0.350
1.6	0.300
1.2	0.250
0.8	0.200
0.6	0.150
0.4	0.100
0.3	0.075
0.2	0.050
0.15	0.037
0.1	0.025
0.05	0.012
0	0.000

TABLE 2	
Watershed Area Factor (A)	
(P) Wetl. Area/Wshed Area x 100	Value for A
≥10%	1.00
9%	0.95
8%	0.90
7%	0.85
6%	0.80
5%	0.75
4%	0.70
3%	0.65
2%	0.60
1%	0.55
< 1%	0.50

*\*(you will need to interpolate your value using Tables 1 and 2), or choose the closest value.*

**EXAMPLES OF WETLAND FLOOD INDEX CALCULATION:**

**Example 1:** (See Wetland I.D. 1 in Table 3 – sample spreadsheet)

- Wetland Area (W) = 0.25 acres
- Watershed Area (S) = 25 acres
- Water Storage Depth (D) = 0.5 ft (known depth)
- Water Storage Volume (V) = 0.5 ft x 0.25 acres = 0.125 acre-feet
- Wetland Storage Volume Factor (F) = 0.03 (from Table 1)
- Watershed Area Factor (A) = 0.55 (from Table 2, where 0.25 acres/25 acres x 100 = 1%)
- Location in Watershed (L) = 0.8
- Wetland Flood Index = 0.03 x 0.55 x 0.80 = 0.0132**      **Flood Value Type = Low Flood Value**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

**Example 2:** (see Wetland I.D. W3 in Table 3 – sample spreadsheet)

Wetland Area (W) = 33 acres

Watershed Area (S) = 17,937 acres

Water Storage Depth (D) = 1.0 ft (default value)

Water Storage Volume (V) = 1.0 ft x 33 acres = 33 acre-feet

Wetland Storage Volume Factor (F) = 0.73 (from Table 1)

Watershed Area Factor (A) = 0.5 (from Table 2, where 33 acres/17,937 acres x 100 = 0.18%)

Location in Watershed (L) = 1.0

**Wetland Flood Index Value** =  $0.73 \times 0.5 \times 1.0 = 3.65$     **Flood Value = Moderate Flood Value**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

### Table 3: Example of Flood Index Worksheet for Multiple Wetlands

**\*Use the Excel spreadsheet on the NH Method Website (<http://nhmethod.org/manual.htm>) for automated calculation of the Flood Water Storage Index**

Flood Index = (F x A x L) x 10

Where:

Maximum Wetland Storage Volume = 200 acre-ft

Maximum Wetland Flood Function Value = 10

"Red" headings indicate data input columns

"Black" headings indicate columns where the figures are automatically calculated

Wetland I.D.	Wetland Acreage (W)	Watershed Acreage (S)	Wetland Area as % of Watershed (P) from Table 2	Watershed Area Factor (A) Table 2	Location in Watershed (L) (1.0/0.8/0.6)	Water Storage Depth feet (D) 1.0 = default	Wetland Storage Volume acre feet (D) acre feet	Wetland Storage Volume Factor (F) Table 1	Flood Index
1	0.25	25	1.00	0.55	0.8	0.5	0.125	0.03	0.132
2	0.75	15	5.00	0.75	1	1	0.75	0.19	1.425
3	2	50	4.00	0.7	0.8	2.5	5	0.46	2.576
4	10	100	10.00	1	1	3	30	0.72	7.200
5	10	1000	1.00	1	1	4	40	0.77	7.700
6	3	47	6.38	0.81	0.8	2	6	0.48	3.110
7	0.1	3	3.33	0.42	0.6	0.5	0.05	0.016	0.040
8	0.75	20	3.75	0.68	0.6	0.15	0.1125	0.027	0.110
9	1	50	2.00	0.6	1	2.5	2.5	0.35	2.100
10	50	400	12.50	1	0.8	3	150	0.95	7.600
W1	283	19548	1.45	0.57	1	1	283	1	5.700
W3	33	17937	0.18	0.5	1	1	33	0.73	3.650
W4	54	17291	0.31	0.5	1	1	54	0.73	3.650
W5	202	16619	1.22	0.56	1	1	202	1	5.600
W6	175	2664	6.57	0.82	1	1	175	0.95	7.790
W7	40	446	8.97	0.94	1	1	40	0.78	7.332
W8	24	380	6.32	0.51	1	1	24	0.69	3.519
W9	43	679	6.33	0.51	1	1	43	0.77	3.927
W10	116	2161	5.37	0.77	1	1	116	0.92	7.084
W11	63	880	7.16	0.86	1	1	63	0.83	7.138
W12	24	3302	0.73	0.86	1	1	24	0.69	5.934
ND1	93.7	5169	1.81	0.57	1	1	93.7	0.88	5.016
ND2	50	3741	1.34	0.57	1	1	50	0.8	4.560
ND3	37	258	14.34	1	1	1	37	0.75	7.500
ND4	101	2700	3.74	0.68	1	1	101	0.9	6.120
ND5	110.5	562	19.66	1	1	1	110.5	0.92	9.200
ND6	99	1753	5.65	0.77	1	1	99	0.9	6.930

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 8 – GROUNDWATER

**Note that this function does not require any field work**

Evaluation Questions	Observations & Notes	Answers	Score
1. Does the wetland overlie stratified drift aquifer?		a. Wetland overlies stratified drift aquifer b. Wetland is adjacent to stratified drift aquifer c. Wetland is not located over or adjacent to stratified drift aquifer	10 5 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">1</span>
2. Is the wetland in a potential public water supply area?		a. Wetland is in an area identified by Favorable Gravel Well Analysis b. Wetland is directly adjacent to an area identified by Favorable Gravel Well Analysis c. Wetland is not located in or adjacent to an area identified by Favorable Gravel Well Analysis	10 5 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">1</span>
3. Is the wetland within a public wellhead protection area?	<i>No</i>	a. More than 75% of the wellhead protection area includes the wetland b. 25%-75% of the wellhead protection area includes the wetland c. Less than 25% of the wellhead protection area includes the wetland	10 5 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">1</span>
4. What is the percent coverage of highly permeable soils within 100 ft of the wetland? Refer to Table 3 to answer this question	<i>140C, 140 D, 447B &amp; 547B are the principal soil types within 100 ft. of the wetland (NH Wetlands Mapper)                      547 B is a potential recharge soil. It occupies approx. 18% of the 100 ft. zone.</i>	a. More than 50% of the soil types within 100 ft of the wetland are on the list in Table 3. b. 25-50% of the soil types within 100 ft of the wetland listed in Table 3 c. < 25% of the soil types within 100 ft of the wetland are listed in Table 3	10 5 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">1</span>
5. What is the percent coverage of the highly permeable soil types (listed in Table 4) within the wetland? Refer to Table 4 to answer this question	<i>97 (Greenwood &amp; Ossipee, Ponded) - organic soils - not recharge soils</i>	a. More than 50% of the soil types <b>within</b> the wetland are listed in Table 4. b. 25 – 50% of the soil types <b>within</b> the wetland are listed in Table 4. c. Less than 25% of the soil types <b>within</b> the wetland are listed in Table 4.	10 5 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">1</span>

**AVERAGE SCORE FOR GROUND WATER**

(Add scores for each question and divide by 5)

**1.0**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 9 – SEDIMENT TRAPPING

Evaluation Questions	Observations & Notes	Answers	Score
<b>1. What is the wetland's Flood Storage value?</b>		Wetland Flood Index score from 7 – Flood Storage.	5.2 -----
<b>2. Does the wetland lack outlet or have a constricted outlet?</b>	<i>There is an outlet, subject to beaver dams</i>	a. Wetland has no outlet or has a constricted outlet. b. Wetland has an outlet but flow path through wetland is primarily sheet flow or ponded in a shallow basin. c. Wetland outlet not constricted or flow primarily within stream channel.	10 5 1
<b>3. What is the character of water flow through the wetland?</b>  $\frac{\text{Channel Length}}{\text{Straight line distance of stream}} = \text{Sinuosity Ratio}$	<i>Stream channel is relatively straight, though appearing natural.                      3,600 ft. stream channel length ÷ 3,300 straight line distance = 1.1 sinuosity ratio.</i>	a. At least one of the following situations apply: <ul style="list-style-type: none"> <li>• No stream channel OR</li> <li>• Inlet present but no outlet OR</li> <li>• Outlet is impounded and standing water present in downstream end of wetland OR</li> <li>• Inlet and outlet present and channel sinuosity is <math>\geq 1.5</math></li> </ul> b. Inlet and outlet present, and sinuosity of channel is $>1.0$ and $<1.5$ c. Channel is straight (sinuosity=1.0) and no impoundments within wetland or at wetland outlet	10 5 1
<b>4. What is the ratio of the wetland's size to the size of its watershed?</b>  $\frac{\text{Acres of Wetland}}{\text{Area of watershed above wetland outlet}} \times 100$	$53.32/839.01 = 6.36\%$	a. Wetland is more than 10% of its watershed. b. Wetland is between 1-10% of its watershed. c. Wetland is less than 1% of its watershed.	10 5 1
<b>5. What is the gradient within the wetland?</b>	$731.3 - 721.2 = 10.1 \text{ ft.}$ $10.1 \text{ ft.} \div 4,100 \text{ ft. wetland length (axis)} = .25 \% \text{ slope}$	a. Wetland has gradient less than 0.5% or has no outlet b. Wetland gradient is 0.5% to 3% c. Wetland has gradient greater than 3%.	10 5 1
<b>6. What is the areal extent (% coverage) all vegetation types that will most likely trap sediments? (e.g. forested swamps, scrub shrub swamps, and persistent emergent marshes). Refer to Appendix F for more information about wetland vegetation classes.</b>	<i>Persistent Emergent (PEM) classes occupy about 75% of the wetland.</i>	a. Persistent emergent plants (stems above surface of water/wetland throughout the year), trees and/or shrubs cover at least 90% of the surface area of the wetland. b. Persistent emergent, trees and/or shrubs, and/or non-persistent emergents (stems fall below the surface of water/wetland during fall and winter) cover 50-90% of the wetland's surface area. c. Open Water or Aquatic Bed vegetation covers $< 50\%$ of the surface area of the wetland	10 5 1
<b>6. What is the average water depth in the wetland during growing season?</b>	<i>This is an estimate based on observation and vegetation.</i>	a. Average water depth is less than 1 foot or there is no open water b. Average water depth greater than 1 foot and less than 6.6 feet. c. Average water depth is greater than 6.6 ft	10 5 1

**AVERAGE SCORE FOR SEDIMENT TRAPPING:**  
 (Add scores for each question and divide by 7)

7.9

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 10 – NUTRIENT REMOVAL/RETENTION/TRANSFORMATION

Evaluation Questions	Observations & Notes	Answers	Score
1. What is the wetland's Flood Storage value?		Flood Index Score from 7 – Flood Storage.	5.2 -----
2. What is the wetland's ability to trap sediments?		Average score from 9 – Sediment Trapping.	7.9 -----
3. What is the extent (percent cover) of persistent emergent vegetation, trees and/or shrubs within the wetland?		Record answer from 9- Sediment Trapping, Question 6	5 -----
4. What hydroperiod occurs over more than 50% of the wetland?	<i>Hydroperiods E &amp; F (NWI codes) apply to approximately equal acreages. E = Seasonally saturated/flooded F = Semi-permanently Flooded</i>	<ul style="list-style-type: none"> <li>a. Semi-permanently flooded, seasonally flooded/saturated, or saturated</li> <li>b. Seasonally flooded, seasonally flooded/well drained or temporarily flooded</li> <li>c. Permanently flooded or intermittently exposed</li> </ul>	10 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">7.5</span> 5 1
5. What soils cover the greatest percentage of the wetland?	<i>Dominant wetland soil type is 97 (Greenwood &amp; Ossipee, Ponded)</i>	<ul style="list-style-type: none"> <li>a. Wetland is dominated by fine textured soils (refer to Table A, Appendix D)</li> <li>b. Wetland is dominated by organic and/or peat soils (refer to Table B, Appendix D)</li> <li>c. Wetland is dominated by sands and gravels (refer to Table C, Appendix D)</li> </ul>	10 <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">5</span> 1

**AVERAGE SCORE FOR NUTRIENT TRANSFORMATION**

(Add scores for each question and divide by 5)

**6.1**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 11 – SHORELINE ANCHORING

**If there is no stream, river, lake or pond within or adjacent to the wetland,  
leave this Functional out of the evaluation.**

Evaluation Questions	Observations & Notes	Answers	Score
1. What is the gradation of wetland vegetation types along the shoreline?	<i>Many trees recently removed by logging following tornado, July, 2008. There is a narrow shrub edge on most of the rest of the wetland.</i>	a. Three or more wetland vegetation types present (PAB, PEM, PSS or PFO) b. Two wetland vegetation types present c. One wetland vegetation type present	10  <span style="border: 1px solid black; border-radius: 50%; padding: 2px;">5</span>  1
2. What is the vegetation density in the wetland bordering watercourse, lake or pond?	<i>Almost 100% (Observation)</i>	a. High: More than 90% woody or persistent vegetation cover b. Moderate: From 70-90 woody or persistent % vegetation cover c. Low: Less than 70% woody or persistent vegetation cover	<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">10</span>  5  1
3. How wide is the wetland bordering the watercourse, lake or pond?	<i>Estimated 500ft. average, using NH Wetlands Mapper Distance Measuring Tool.</i>	a. More than 20 feet b. From 10-20 feet c. Less than 10 feet	<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">10</span>  5  1
4. How “rough” is the substrate of the wetland at the shoreline of the waterbody?	<i>Based on observation and not substrate sampling. Though soil substrate may not be rough, there are many tree trunks at or beneath the surface of the water that will function as a rough substrate for some time.</i>	a. Wetland substrate characterized by many boulders, stones or cobbles and woody material b. Wetland substrate has few boulders, stones or cobbles and little woody material , or substrate is mostly gravel or coarse sands c. Wetland substrate is uniformly smooth and is comprises of clays, silts or very fine sands or organic materials and no woody material.	<span style="border: 1px solid black; border-radius: 50%; padding: 2px;">10</span>  5  1

**AVERAGE SCORE FOR SHORELINE ANCHORING**

(Add scores for each question and divide by 4)

**7.5**

# NH METHOD FOR THE EVALUATION OF FRESHWATER WETLANDS

Wetland Name/Code: *Sample Wetland, Deerfield NH* Evaluation Date: *July 2, 2010* Evaluator: *Frank Mitchell*

## 12 – NOTEWORTHINESS

Describe noteworthy features in the wetland narrative

**Note that the scores for this function are summed and NOT averaged**

Evaluation Questions	Observations & Notes	Answers	Score
1. Is the wetland located in or within 500 ft of an area of Highest Ranked Habitat (state or regional level), as identified on the NH Wildlife Action Plan Highest Ranked Habitat Condition map?	<i>of Highest Ranked Habitat t includes about half the wetland., based on 2015 Wildlife Action Plan Maps</i>	a. <input checked="" type="radio"/> Yes	10
2. Does the wetland have local significance because has consistently high scores for all functions and/or is among the top 10 largest wetlands in town?	<i>This wetland was evaluated alone as a sample, but it was evaluated in 1992 and scored a "yes" for this question when compared with other wetlands in town.</i>	a. <input checked="" type="radio"/> Yes	10
3. Does the wetland have local or regional significance, e.g. is it located in a priority area in a local or regional conservation plan, or it is one of the largest in the region?	<i>Is a priority in the Bear-Paw Regional Greenways and NH Coastal Conservation Plans</i>	a. <input checked="" type="radio"/> Yes	10
4. Does the wetland have known biological, geological, or other features that are locally rare or unique locally or on a regional or statewide scale?	<i>Blanding's turtle observed in vicinity historically, but no current records</i>	a. Yes	10
5. Is the wetland known to contain an important historical or archaeological site?		a. Yes	10
6. Is the wetland hydrologically connected to a state or federally designated river within ¼ mile of the wetland's outlet?		a. Yes	10
7. Is the wetland one of just a few left in an urban setting?	<i>Not applicable</i>	a. Yes	10

**TOTAL SCORE FOR NOTEWORTHINESS**

**30**

**Add up the scores** for all questions which received a YES answer.

The total score is the score for this function (**note that this score is not averaged**).

For example, if you answered YES to four questions, the score would be 40.

If you answered YES to only one question, the score is 10